

Texan Minerals and Chemicals LLC

14090 Southwest Freeway, Suite 310, Sugar Land, TX 77478

Phone: 713-294-4180 Email: Mani@TMCgreen.com



Technical Data Sheet Bio Paraffin Solv Bulk

Introduction

A green solvent, terpene, derived from natural and renewable sources has been utilized as an alternative to the conventional solvents for wax remediation. Terpene is abundant in renewable sources from pine plant and orange peels (d-limonene). Terpene has low toxicity, is less flammable, is rapidly biodegradable, and has high solvency for an organic deposit comparable to aromatic solvents. Terpene is a good surfactant that is environmentally friendly. Terpene can be blended with other cosolvents. Comparatively, terpene possesses good solvency and is biodegradable, less toxic, and less flammable compared to xylene, toluene, or naphthalene.


Description:

Bio Paraffin Solv Bulk is a specialty solvent blend of Terpene Hydrocarbons that have been sourced from 100% renewable processes. The composition has been formulated to match or exceed the solvency of d-Limonene while also possessing a mild Orange/Citrus fragrance. Combining dl-Limonene with several of its isomers, enhances the solvency for paraffin wax. Due to the structural similarity to Limonene, the Hansen Solubility Parameters are close to those of Limonene, which eliminates the need for significant changes to cleaner formulations. BHT, an anti-oxidant is added to stabilize the blend against oxidation.

Chemistry

Terpenes are naturally occurring 10-carbon organic molecules manufactured in nature by green plants. They are the raw materials for many of the flavors and fragrances enjoyed by man. Most terpenes are designated GRAS (Generally Recognized As Safe) by the FDA and FEMA (Flavor Extracts Manufacturing Association) and are approved for human consumption in foods.

Typical Terpene Hydrocarbons



Sources of Terpenes

The pine tree is the world's largest commercial source of terpenes. Turpentine, the volatile oil from the tree, is the largest volume essential oil found in nature..

The second largest source of terpenes is citrus oil (primarily d-limonene from orange oil) which is produced as a by-product of orange juice production. Citrus Terpenes have found use in many industrial and consumer cleaning products worldwide.

Texan Minerals and Chemicals is an expert at optimizing the effectiveness, availability and economy of solvents and cleaners produced from these other natural resources.

Performance Comparison

Bio Paraffin Solv Bulk has a higher non-polar solvency and a broader range of solvency than many other common solvents. Unlike glycol ethers they are predominantly non-polar and therefore have a high affinity for the dissolution of non-polar soils. For this reason it is frequently formulated into cleaning compounds with surfactants, builders, polar co-solvents and occasionally water.



Texan Minerals and Chemicals LLC

14090 Southwest Freeway, Suite 310, Sugar Land, TX 77478

Phone: 713-294-4180 Email: Mani@TMCgreen.com



Physical Properties

The Hansen Solubility Parameters of Bio Paraffin Solv Bulk have been estimated using the QSAR functionality found in Version 5.0 of HSPiP. For comparison purposes, they are shown below relative to the parameters generated for Limonene using the same model.

| Solvent | δd | δρ | δh |
|------------------------|-------|------|------|
| d-Limonene | 16.60 | 1.69 | 3.68 |
| Bio Paraffin Solv Bulk | 17.41 | 1.75 | 3.59 |

Kauri-Butanol Value Relative Degreasing Performance

| Bio Paraffin Solv Bulk | ~100 | Excellent |
|------------------------|------|-----------|
| d-Limonene | 67 | Excellent |

| Approximate Physical Properties | Bio Paraffin Solv Bulk |
|--|------------------------|
| Specific Gravity @ 25°C | 0.87 |
| Pounds/Gallon @ 25°C | 7.2 |
| Flash Point, °F, TCC | 118 |
| Evaporation Rate (n-BuAc = 1) | 0.2 |
| Vapor Pressure (mmHg @ 20°C) | 2.0 |
| Surface Tension (dynes/cm @ 25°C) | 27 |
| Initial Boiling Point, °C (@ 760 mmHg) | 170 |
| Freezing Point, °C | < -80 |
| Viscosity, cps, @ 25°C | 1.5 |
| Solubility in Water, % | <0.2 |
| Non-Volatile Residue (@ 105°C) | < 0.5 |
| Kauri-Butanol Value (KB) | ~100 |
| Resistivity (Megohms/cm) | 2.6 X 106 |
| Dielectric Breakdown, KV (ASTM D877) | 30 |
| Color, APHA (Typical) | <30 |

Regulatory Advantages of Terpenes

Because Bio Paraffin Solv Bulk is a blend of terpenes, it is non-toxic, biodegradable, and contains no dangerous chemicals or additives. Bio Paraffin Solv Bulk, for instance, contains no chlorinated components and therefore does not affect the Earth's ozone layer and is not regulated under the Montreal

Protocol. In addition, Bio Paraffin Solv Bulk contains no components that are classified as Hazardous Air Pollutants (HAPS) by the Clean Air Act Amendments. Because terpenes are naturally occurring and safe, the EPA has endorsed terpenes as replacements for hazardous solvents like 1,1,1-trichloroethane and CFC-113 under the Significant New Alternatives Policy (SNAP) program.

The table below compares the regulatory status of several traditional industrial solvents with Bio Paraffin Solv Bulk:

Solvent Regulatory Status Comparison SARA Title III Clean Air Act Ozone California Hazardous Air Section 313 Depleting Proposition Pollutant Toxic 65 Carcinogen **Bio Paraffin Solv Bulk** No No No No 1,1,1-Trichloroethane Yes Yes Yes No Methyl Ethyl Ketone Yes Yes No No **Mineral Spirits** No No No No Trichloroethylene Yes Yes No Yes Perchloroethylene Yes Yes No Yes **Xvlene** Yes Yes No No Glycol Ether EB Yes Yes No No



Texan Minerals and Chemicals LLC

14090 Southwest Freeway, Suite 310, Sugar Land, TX 77478

Phone: 713-294-4180 Email: Mani@TMCgreen.com



Terpene Vapor Emissions and Odor

Since terpene odors are easily detectable, it is sometimes thought that terpenes rapidly vaporize, leading to high vapor concentrations in the air. This is because the odor threshold (level at which terpenes can be detected by smell) can be as low as 1 part-per-million (ppm). This is much lower than many traditional industrial solvents. However, Bio Paraffin Solv Bulk has a very low volatility which means very low vapor concentrations occur during use. Despite this fact, adequate ventilation is always required in the workplace.

An indication of the relative vapor exposure hazard of a solvent is a ratio called the Inhalation Hazard Index (IHI). This parameter is defined as the ratio of the saturated vapor concentration at 20°C to the American Conference of Industrial Hygienists (ACGIH) TLV-TWA. The higher the ratio, the quicker the vapor concentration will approach the maximum safe concentration, at which point it can become a potential

health risk. The following table compares the IHI for several common solvents. Note that Bio Paraffin Solv Bulk, has a lower (safer) value than other high performance industrial solvents:

Vapor Pressure TLV-TWA Inhalation Hazard Odor Threshold (mmHg @ (ppm) Index (ppm) 20°C) **Bio Paraffin Solv Bulk** 2 100 25 1 **Mineral Spirits** 2 100 25 800 Glycol Ether EB 0.9 25 46 20 Xylene 9.5 100 125 20 Perchloroethylene 13 50 342 50 1,1,1-Trichloroethane 100 350 376 400 Methyl Ethyl Ketone 85 200 559 25 Trichloroethylene 59 50 1552 250

Inhalation Hazard Index for Industrial Solvents

Toxicity

Most terpenes are non-toxic by OSHA standards. Many have been extensively tested by the Flavor Extracts Manufacturers Association (FEMA) and other groups. Refer to the SDS for current data.

Product Packaging / Container Suitability

Terpenes are very aggressive solvents and care must be taken in choosing containers for terpene products.

Polyethylene bottles typically do not perform well with terpenes. Although the polyethylene is not weakened, the terpene solvents diffuse through the sides of the container. High density polyethylene (HDPE) bottles, which have been fluorinated, may be used.

Texan Minerals and Chemicals has found that PVC or PET bottles perform well for cleaners containing terpene solvents but they will still show some permeation over long storage periods.

Contact your container supplier for more information.

Safe Handling of Terpene-Soaked Rags

It is widely known that oily rags may spontaneously combust when placed in containers. Terpene-soaked rags are no exception. To prevent this, terpene-soaked rags should be washed or submerged in water (a small amount of soap or detergent added will cause the rags to wet more easily).

Flash Point and Safety

Most terpene solvents are considered flammable or combustible. However, unlike traditional flammable solvents like MEK and acetone, their flash points are sufficiently high enough to permit safe use in most applications. OSHA regulations require that solvents in artificially heated dip tanks be maintained at a maximum temperature 50°F below their flash points. Please refer to SDS.